

Safety data sheet

1224 Pro Cover HC

1. Identification of the substance/preparation and of the company/undertaking

Registration number: 69252
Revision: 03-03-2010/ EP
Replaces: 25-01-2008

Distributor:
Iso Paint Nordic A/S
Tværvej 8
6640 Lunderskov

Tel:Nødtlf. 76333114 åben mandag-torsdag kl. 8-16
fredag kl 8-15 Fax:76333115
Emergency telephone number: 76333114
Contact person:Nina Reinert
Email: driftslab@isopaint.dk

2. Hazards identification

Harmful: May cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.

3. Composition/information on ingredients

Einecs no.	CAS No.	Substances	Classification	w/w%
265-150-3	64742-48-9a	Naphta(Hydrogentreated heavy)	Xn;R65,R66	>50

Please see section 16 for the full text of the R-phrases

4. First aid measures

Inhalation

Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion

Rinse mouth thoroughly and then drink plenty of water. Do not induce vomiting. If vomiting occurs, keep head low so that stomach contents do not enter lungs. Seek medical advice immediately.

Skin

Remove contaminated clothing. Wash skin with soap and water.

Eyes

Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice if symptoms persist.

Burns

Flush with water until pain ceases. Remove clothing that is not stuck to the skin – seek medical advice/transport to hospital. If possible, continue flushing until medical attention is obtained.

Other information

When obtaining medical advice, show the safety data sheet or label. Symptoms: See section 11.

5. Fire-fighting measures

Extinguish with powder, foam, carbon dioxide or water mist. Do not use water stream, as it may spread the fire. Use water or water mist to cool non-ignited stock. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases – seek fresh air.

6. Accidental release measures

Use the same personal protective equipment as stated in section 8. Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains. Smoking and naked flames prohibited.

Revision: 03-03-2010/EP
Replaces: ; Replaces: 25-01-2008

1224 Pro Cover HC

7. Handling and storage

Handling

See section 8 for information about precautions for use and personal protective equipment. Smoking and naked flames prohibited.

Storage

There are no special storage requirements but the product should be stored safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc. Do not expose to heat (e.g. sunlight).

8. Exposure controls/ personal protection

Precautions for use

Use the product under well-ventilated conditions.

Respiratory protection

Wear respiratory protective equipment with filter A2/P2.

Gloves and protective clothing

Wear protective gloves made of nitrile rubber, neoprene rubber, butyl rubber Penetration time:>240 min.

Eye protection

Wear safety goggles if there is a risk of eye splash.

Occupational exposure limits

Ingredients	Exposure limit	Remarks

Control methods

Compliance with occupational exposure limits may be checked by occupational hygiene measurements; Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

9. Physical and chemical properties

Appearance: Liquid
Odour: Characteristic
Relative density (g/ml): 0,88
Solubility in water (g/100 ml): Not soluble
Flash point (°C): 57

10. Stability and reactivity

The product is stable when used in accordance with the supplier's directions. Avoid heating and contact with ignition sources.

11. Toxicological information

Acute

Inhalation

Inhalation of vapours may cause irritation to the upper airways.

Ingestion

May cause chemical pneumonia if ingested or vomited.

Skin contact

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause eye irritation.

Long-term effects

May cause damage to the central nervous system

Prolonged or repeated inhalation of vapours may cause damage to the central nervous system.

Revision: 03-03-2010/EP
Replaces: ; Replaces: 25-01-2008

1224 Pro Cover HC

12. Ecological information

Avoid discharge to drain or surface water.

Mobility

Poor water solubility.

Persistence and degradability

Biodegradable.

Bioaccumulative potential

No bioaccumulation data provided.

13. Disposal considerations

Not considered as special waste according to Commission decision as regards the list of wastes 2001/118/EC. Contact the local authorities.

Absorbing solution polluted with the product:

EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protection clothing other than those mentioned in 15 02 02.

14. Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

ISO PAINT NORDIC A/S Tværvej 8, 6640 Lunderskov Tlf.: 76 33 31 14 Fax: 76 33 31 15

15. Regulatory information



Harmful

Hazard designation: Harmful

Hazard symbols: Xn

Contains

naphtha (hydrogen treated, heavy)

R-phrases

Harmful: May cause lung damage if swallowed. (R65)

Repeated exposure may cause skin dryness or cracking. (R66)

S-phrases

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). (S23)

Avoid contact with skin. (S24)

If swallowed, do not induce vomiting, seek medical advice immediately and show this container or label. (S62)

Other labelling

None.

Volatile organic compounds (VOC):

This product is not subject to VOC legislation.

Chemical safety assessment

Chemical safety assessment has not been performed.

16. Other information

Restrictions on use

Youths under 18 years are not to use this product except for education purposes.

Training requirement

No special training is required, but a thorough knowledge of this safety data sheet should be a prerequisite condition.

Sources used

Approved Supply List (seventh edition): Information approved for the classification and labelling of substances and preparations dangerous for supply. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.
Transport regulations for ADR 2003 edition and IMDG 2003 edition.
Commission decision as regards the list of wastes 2001/118/EC.

Other information

This safety data sheet was prepared from information provided by the supplier about physical/chemical properties and all ingredients in the product.

Full text of the R-phrases that are stated in section 3.

R65 Harmful: May cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.