

Safety data sheet

ISO Rubber

1. Identification of the substance/preparation and of the company/undertaking

Registration number: Ikke anmeldelsespligtig
Revision: 03-03-2010/ EP
Replaces: 30-10-2007

Distributor:
Iso Paint Nordic A/S
Tværvej 8
6640 Lunderskov

Tel:Nødtlf. 76333114 åben mandag-torsdag kl. 8-16
fredag kl 8-15 Fax:76333115
Emergency telephone number: 76333114
Contact person:Nina Reinert
Email: driftslab@isopaint.dk

2. Hazards identification

The product shall not be classified as hazardous according to the national classification and labelling rules.

3. Composition/information on ingredients

Einecs no.	CAS No.	Substances	Classification	w/w%
		Contains no substances subject to reporting requirements.		
<i>Please see section 16 for the full text of the R-phrases</i>				

4. First aid measures

Inhalation

Seek fresh air.

Ingestion

Wash out mouth thoroughly and drink plenty of water. Seek medical advice if symptoms persist.

Skin

Remove contaminated clothing. Wash skin with soap and water.

Eyes

Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice if irritation persists.

Burns

Rinse with water until pain stops. Remove clothes which do not adhere to the body - seek medical advice, if possible continue rinsing until doctor takes over treatment.

5. Fire-fighting measures

The product is not inflammable. Do not inhale vapours and flue gases - seek fresh air.

6. Accidental release measures

Contain and absorb spill with sand, cat litter or other absorbent, non-combustible material and transfer to suitable waste containers. See section 13 for instructions on disposal. Use the same personal protective equipment as stated in section 8.

7. Handling and storage

Handling

See section 8 for information about precautions for use and personal protective equipment.

Storage

There are no special storage requirements but the product should be stored safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc.

ISO PAINT NORDIC A/S Tværvej 8, 6640 Lunderskov Tlf.: 76 33 31 14 Fax: 76 33 31 15

8. Exposure controls/ personal protection

Precautions for use

The product should be used under well ventilated conditions.

Respiratory protection

Wear respiratory protective equipment with filter A2/P2 by spraying.

Gloves and protective clothing

Wear protective gloves made of nitrile rubber, natural rubber, neoprene rubber, butyl rubber

Eye protection

Not required.

Occupational exposure limits

Contains no substances subject to reporting requirements.

9. Physical and chemical properties

Appearance: Liquid

Odour: faint

pH (concentrate): 8,5-9,5

Relative density (g/ml): 1,25

Solubility in water (g/100 ml): 100

10. Stability and reactivity

The product is stable when used in accordance with the supplier's directions.

11. Toxicological information

Acute

Inhalation

There are no hazardous vapours over the product.

Ingestion

Ingestion may cause discomfort.

Skin contact

May cause slight irritation.

Eye contact

May cause eye irritation.

Long-term effects

None known.

12. Ecological information

Avoid discharge to drain or surface water.

Ecotoxicity

By analogy to similar products, the product is not expected to be toxic to aquatic organisms.

Mobility

The product has low mobility in soil.

Persistence and degradability

Biodegradable.

Bioaccumulative potential

The product does not accumulate in the organism.

Revision: 03-03-2010/EP
Replaces: ; Replaces: 30-10-2007

ISO Rubber

13. Disposal considerations

Not considered as special waste according to Commission decision as regards the list of wastes 2001/118/EC. Contact the local authorities.

Absorbing solution polluted with the product:

EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protection clothing other than those mentioned in 15 02 02.

14. Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

15. Regulatory information

Hazard designation: It has been assessed that the product need not be classified according to the national classification and labelling rules.

Contains

Contains no substances subject to reporting requirements.

Other labelling

None.

Volatile organic compounds (VOC):

This product contains a maximum of 22 g VOC/L. The limit value is 40 g VOC/L (cat. A/c) 2010

Chemical safety assessment

Chemical safety assessment has not been performed.

16. Other information

Restrictions on use

None.

Training requirement

No special training is necessary but a thorough knowledge of this safety data sheet is assumed.

Sources used

Approved Supply List (seventh edition): Information approved for the classification and labelling of substances and preparations dangerous for supply. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

Transport regulations for ADR 2003 edition and IMDG 2003 edition.

Commission decision as regards the list of wastes 2001/118/EC.

Other information

This safety data sheet was prepared from information provided by the supplier about physical/chemical properties and all ingredients in the product.

Full text of the R-phrases that are stated in section 3.

ISO PAINT NORDIC A/S Tværvej 8, 6640 Lunderskov Tlf.: 76 33 31 14 Fax: 76 33 31 15 (Made in Toxido®) UK